Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51	dynamic\$5 near3 configur\$8 near5 device and copy with configuration with device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:37
L2	2	709/209.ccls. and dynamic\$5 near3 configur\$8 near5 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:39
L3	5	709/209.ccls. and dynamic\$5 with model	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:41
L4	7	709/209.ccls. and configuration with copy\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:52
L5	11	709/209.ccls. and dynamic\$5 near5 master	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:53
L6	9	709/209.ccls. and dynamic\$5 near5 master and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/16 10:54
S1	230	709/219,220,221,222,230.ccls. and 710/8,10,104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 16:11
S2	8	S1 and configur\$8 with model with device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:23
S3	230	709/219,220,221,222,230.ccls. and 710/8,10,104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:00
S4	15	S3 and automat\$6 with configur\$8 and model with device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:51
S5	5183	automat\$6 with configur\$8 and model with device not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:24

S6	8	S3 and configur\$8 with model with device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:23
S7	3869	configur\$8 with model with device not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:23
S8	100	automat\$6 with configur\$8 and model with device not S4 and assign\$5 with device with model	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:24
S9	6	automat\$6 with configur\$8 with based with (model or similar or identical) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:29
S10	85	configur\$8 with based with (model or similar or identical) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:29
S11 .	89	configur\$8 with based with (candidate or model or similar or identical) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:31
S12	38	configur\$8 with based with (candidate or model or similar or identical) adj device and network.bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:32
S13	29	configur\$8 with based with (candidate or model) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:32
S14	33	(configuring or configuration).ti. and (candidate or model) adj device with configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:43
S15	0	((configuring or configuration).ti. or (configuring or configuration).ab.) and configuration with "from" adj3 (peer or model or candidate or "same" or similar or like) adj2 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR.	ON .	2007/04/26 21:45
S16	0	configuration with "from" adj3 (peer or model or candidate or "same" or similar or like) adj2 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:45
S17	11	configuration with "based" adj3 (peer or model or candidate or "same" or similar or like) adj2 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:45

			_			
S18	21	S3 and automat\$6 with configur\$8 and dynamic\$5 with configur\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OM	2007/04/26 21:52
S19	1515	((configuring or configuration).ti. or (configuring or configuration).ab.) and automat\$6 with configur\$8 and (retriev\$5 or receiv\$5) adj configur\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:54
S20	0	((configuring or configuration).ti. or (configuring or configuration).ab.) and automat\$6 with configur\$8 and (retriev\$5 or receiv\$5) adj configur\$8 with (peer or candidate or "same" or like or similar) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:55
S21	8	((configuring or configuration).ti. or (configuring or configuration).ab.) and automat\$6 with configur\$8 and (retriev\$5 or receiv\$5) adj configur\$8 same (peer or candidate or "same" or like or similar) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:58
S22	12	((configuring or configuration).ti. or (configuring or configuration).ab.) and (retriev\$5 or receiv\$5) adj configur\$8 same (peer or candidate or "same" or like or similar) adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:58
S23		((configuring or configuration).ti. or (configuring or configuration).ab.) and (retriev\$5 or receiv\$5) adj configur\$8 same (peer or candidate or "same" or like or similar) adj device not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 21:59
S24	85	((configuring or configuration).ti. or (configuring or configuration).ab.) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:07
S25	0	((configuring or configuration).ti. or (configuring or configuration).ab.) and S3 and configuration adj3 from	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR.	ON	2007/04/26 22:01
S26	369	((configuring or configuration).ti. or (configuring or configuration).ab.) and configuration with ("same" adj device or candidate adj device or similar adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:02
S27	24	(((configuring or configuration) with network).ti. or ((configuring or configuration) with network).ab.) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:06

			•			
S28	25	((configuring or configuration).ti. or (configuring or configuration).ab.) and dynamic\$6 with configur\$8 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:18
S29	538	((configuring or configuration).ti. or (configuring or configuration).ab.) and dynamic\$6 with configur\$8 and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:20
S30	4	((configuring or configuration).ti. or (configuring or configuration).ab.) and dynamic\$6 with configur\$8 and cluster and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/04/26 22:19
S31	317	automatic\$8 adj2 configur\$8 and dynamic\$6 with configur\$8 and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/04/26 22:21
S32	2	automatic\$8 adj2 configur\$8 and dynamic\$6 with configur\$8 and cluster and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:23
S33	111	automatic\$8 adj2 configur\$8 and dynamic\$6 with configur\$8 and cluster with configur\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/04/26 22:23
S34	36	automatic\$8 adj2 configur\$8 and dynamic\$6 with configur\$8 and cluster with configur\$8	USPAT	OR	ON	2007/04/26 22:23
S35	21906	709/209,219,220,221,224,230.ccls. or 710/8,10,104.ccls. or 711/1,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 16:12
S36	771	S35 and model with configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 16:13
S37	97	S35 and model near2 device with configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 16:14
S38	24	S35 and model near2 device with configuration and (select\$5 or determin\$5 or elect\$5 or choos\$5) near2 model	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 16:20
S39	8	S35 and model near2 device with configuration and (select\$5 or determin\$5 or elect\$5 or choos\$5) near2 model	USPAT	OR	ON	2007/07/13 16:23

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
S40	2425	configur\$8 near5 device and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model	USPAT	OR	ON	2007/07/13 16:24
S41	2425	S40 and configur\$8 near5 device and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model	USPAT	OR	ON .	2007/07/13 16:24
S42	104	S35 and configur\$8 near5 device and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model	USPAT	OR .	ON	2007/07/13 17:16
S43	21906	709/209,219,220,221,224,230.ccls. or 710/8,10,104.ccls. or 711/1,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON.	2007/07/13 17:16
S44	0	S43 and configur\$8 near5 device with (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 peer with model	USPAT	OR	ON	2007/07/13 17:16
S45	0	configur\$8 near5 device with (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 peer with model	USPAT	OR	ON	2007/07/13 17:16
S46	0	configur\$8 near5 device.ti. and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 peer with model	USPAT	OR .	ON	2007/07/13 17:17
S47	0	configur\$8 near5 device.ti. and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 peer with model	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 17:17
S48	2	709/209.ccls. and device near2 configur\$5 and (select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 18:01
S49	496	(select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 18:01
S50	130	(select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model adj device and user adj2 interface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 18:02
S51	49	(select\$5 or determin\$5 or elect\$5 or choos\$5 or check\$5) near2 model adj device and user adj2 interface and device near2 configur\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/13 18:02